LOWRANCE®



PRICE LIST
MARINE ELECTRONICS

HDS-16 LIVE

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14436-001		The Lowrance HDS-16 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging ™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	22320.30	27453.97
000-14437-001		The Lowrance HDS-16 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	23260.30	28610.17
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-15593-001		ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	90	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	• • 0	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	576.08	708.58

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	PANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	PANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-12301-001	6 9	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14585-001		HDS-16 LIVE SUNCOVER	159.75	196.50
000-14589-001		HDS-16 LIVE Bracket and Knobs	277.25	341.02
000-14593-001		HDS-16 LIVE Bezel, SD card door gasket kit	225.55	277.43
000-0127-49	8	Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	173.85	213.84

HDS-12 LIVE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14430-001		The Lowrance HDS-12 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging ™, StructureScan® 3D with Active Imaging, FishReveal ™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	14800.30	18204.37
000-14431-001		The Lowrance HDS-12 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	15740.30	19360.57
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-15593-001		ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-14472-001	5	Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	0	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001	D	Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	• • •	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	576.08	708.58



Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	MANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	MANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-12301-001	6 6	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14584-001		HDS-12 LIVE SUNCOVER	150.35	184.93
000-14588-001		HDS-12 LIVE Bracket and Knobs	277.25	341.02
000-14592-001		HDS-12 LIVE Bezel, SD card door gasket kit	225.55	277.43
000-0127-49	Po	Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	173.85	213.84

HDS-9 LIVE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14424-001		The Lowrance HDS-9 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	8925.30	10978.12
000-14425-001		The Lowrance HDS-9 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	9865.30	12134.32
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-15593-001		ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-14472-001		Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	90	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001	D	Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	> • • •	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	576.08	708.58

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	RANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	CANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-12301-001	6 6	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14583-001	Comance	HDS-9 LIVE SUNCOVER	150.35	184.93
000-14587-001]	HDS-9 LIVE / Elite FS9 Bracket and Knobs	159.75	196.50
000-14591-001		HDS-9 LIVE Bezel, SD card door gasket kit	225.55	277.43
000-0127-49	8	Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	173.85	213.84

HDS-7 LIVE

Part Number		RP excl. (PLN)	RRP incl. (23.0%)
000-14418-001	The Lowrance HDS-7 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	6105.30	7509.52
000-14419-001	The Lowrance HDS-7 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	7280.30	8954.77
Accessories			
Part Number		RP excl. (PLN)	RRP incl. (23.0%)
000-14937-001	Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-15593-001	ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14938-001	Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-14472-001	Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-13963-001	NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001	Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001	Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001	Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001	Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001	Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-12395-001	StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-14505-001	LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	576.08	708.58

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	CANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	PANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-12301-001	@ () ()	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14582-001	LOWMANCE	HDS-7 LIVE SUNCOVER	150.35	184.93
000-14586-001		HDS-7 LIVE Bracket and Knobs	159.75	196.50
000-14590-001		HDS-7 LIVE BEZEL AND SD DOOR	225.55	277.43
000-0127-49	8	Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	173.85	213.84

Description

Elite-9 FS

Main Products

Part Number

		(PLN)	(23.0%)
000-15706-001	ELITE FS 9 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4930.30	6064.27
000-15693-001	ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	5870.30	7220.47
Accessories			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15593-001	ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14937-001	Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-14472-001	Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-14938-001	Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-13963-001	NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001	Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001	Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001	Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001	Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001	Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-12395-001	StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-15786-001	FLUSH MOUNT KIT: ELITE FS 9	103.35	127.12

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
		LOWRANCE REMOTE CONTROLLER LR-1	576.08	708.58
000-14505-001		Bluetooth Remote controller for HDS Live and HDS Carbon		
000-14543-001	ANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	ANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.2
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-10029-001	• >>>	NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1452.30	1786.33
000-12301-001	6 6	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15778-001	Commence	SUNCOVER: ELITE-7 FS	104.58	128.63
000-15777-001	44	CNR CLIP KIT: ELITE-7+9 FS	79.81	98.16
			159.75	196.50

Description

RRP excl. (PLN)

Elite-7 FS

Main Products

Part Number

			()	(=0.070)
000-15702-001		ELITE FS 7 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4225.30	5197.12
000-15697-001		ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4366.30	5370.55
000-15689-001		ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	5306.30	6526.75
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15593-001		ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-14472-001	10	Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-13963-001		NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-11047-002	90	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-14493-001		Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
000-11750-001	• • •	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11749-001	60	Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	7750.30	9532.87
000-15785-001		FLUSH MOUNT KIT: ELITE FS 7	96.77	119.03

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001		StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-14505-001		LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	576.08	708.58
000-14543-001	ANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	ANCE CO	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
000-10029-001	7775	NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1452.30	1786.33
000-12301-001	66	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15778-001	LORMANCE	SUNCOVER: ELITE-7 FS	104.58	128.63
000-15777-001	44	CNR CLIP KIT: ELITE-7+9 FS	79.81	98.16
000-14586-001	"	HDS-7 LIVE Bracket and Knobs	159.75	196.50
000-14041-001	Con	2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	155.05	190.72
000-0127-50		When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	88.88	109.32

Hook Reveal

HDI

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15502-001		HOOK Reveal 5, five-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	1644.95	2023.29
000-15504-001		HOOK Reveal 5, five-inch display with 83/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	1503.95	1849.86
000-15516-001		HOOK Reveal 7, seven-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2161.95	2659.20
000-15518-001		HOOK Reveal 7, seven-inch display with 83/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2020.95	2485.77
000-15527-001		HOOK Reveal 9, nine-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2772.95	3410.73
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	516.95	635.85
000-14414-001	9	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	155.05	190.72
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	155.05	190.72
000-14411-001	🔔 Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	258.45	317.90
000-14174-001	LOWRANCE	HOOK2 / HOOK Reveal 5" Sun Cover	103.35	127.12
000-14187-001	Transport of the Control of the Cont	HOOK2 / HOOK Reveal 5" Dash Gasket Kit	62.88	77.35
000-14175-001	LOWRANCE	HOOK2 7" Sun Cover	103.35	127.12
000-14188-001		HOOK2 7" Dash Gasket Kit	62.88	77.35
000-14176-001	LOWRANCE	HOOK2 9" Sun Cover	112.75	138.69

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	549.85	676.32
000-15639-001	96	HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1132.65	1393.16
000-0127-50	W W W	When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	88.88	109.32
000-11019-001	1	Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti	202.05	248.53
000-14170-001		HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	103.35	127.12
000-14172-001	8	Power Cable for Hook2, Hook Reveal & Cruise	103.35	127.12
000-14191-001	E.Te	HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	65.75	80.88
000-14171-001	W.	Gimbal Bracket for Hook2/Hook Reveal 9"	234.95	288.99

TripleShot

Part Number		Description	(PLN)	RRP incl. (23.0%)
000-15520-001		HOOK Reveal 7, seven-inch display with TripleShot transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, SideScan and DownScan Imaging™, improved deep water performance and now FishReveal. U.S Inland mapping.	2443.95	3006.06
000-15531-001		HOOK Reveal 9, nine-inch display with TripleShot transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, SideScan and DownScan Imaging™, improved deep water performance and now FishReveal. U.S Inland mapping.	3054.95	3757.59
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	516.95	635.85
000-14414-001	9	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
000-14412-001	📤 Missing Image	Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	290.41	357.21
000-14029-001		TripleShot Skimmer Transducer	855.35	1052.08
000-14193-001	000	TripleShot Transom Bracket	65.75	80.88
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	155.05	190.72
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	155.05	190.72
000-14411-001	🛕 Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	258.45	317.90
000-14174-001	LOWRANCE	HOOK2 / HOOK Reveal 5" Sun Cover	103.35	127.12
000-14187-001	0.000	HOOK2 / HOOK Reveal 5" Dash Gasket Kit	62.88	77.35
000-14175-001	LOWRANCE	HOOK2 7" Sun Cover	103.35	127.12
000-14188-001		HOOK2 7" Dash Gasket Kit	62.88	77.35
000-14176-001	LOWRANCE	HOOK2 9" Sun Cover	112.75	138.69
000-14189-001		HOOK2 9" Dash Gasket Kit	96.77	119.03

Hook Reveal LOWRANCE

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-50	W W W	When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	88.88	109.32
000-11019-001	7	Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti	202.05	248.53
000-14172-001	9	Power Cable for Hook2, Hook Reveal & Cruise	103.35	127.12
000-14191-001	2.75	HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	65.75	80.88
000-14171-001	S ty.	Gimbal Bracket for Hook2/Hook Reveal 9"	234.95	288.99

4x

Part Number		Description	RRP excl.	
T dit Hamboi			(PLN)	(23.0%)
000-14013-001		HOOK2-4x Bullet Skimmer CE ROW The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.	563.95	693.66
		HOOK2-4x GPS Bullet Skimmer ROW	657.95	809.28
000-14015-001	**** ********************************	The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.		
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	69	HOOK2-4x Ice Transducer with power lead.	516.95	635.85
		Portable Kayak Kit	770.75	948.03
000-12292-001		-Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.		
000-14609-001		RAM QR BRACKET FOR 4/5" HOOK2 1" BALL	193.64	238.18
000-14610-001		RAM QR BRACKET FOR 4/5" HOOK2 1.5" BALL	314.67	387.04
000-14969-001		ROKK MINI MOUNT: HOOK2-4X/4XGPS/5X/5	290.46	357.27
000-14413-001	🛕 Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	258.45	317.90
000-14192-001	W	Bullet/SplitShot Transom Bracket	65.75	80.88
000-14070-001	9	HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	155.10	190.77
000-14173-001	LOWRANCE	HOOK2 4x Sun Cover	103.35	127.12
000-14186-001	o control	HOOK2 4" DASH GASKET KIT	62.88	77.35
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-50	W W W	When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	88.88	109.32
000-14027-001	5	Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	234.95	288.99
000-14192-001		Bullet/SplitShot Transom Bracket	65.75	80.88
000-14170-001		HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	103.35	127.12

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	P	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
000-14413-001	🚣 Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	258.45	317.90
000-14412-001	🚣 Missing Image	Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	290.41	357.21
000-14027-001	5	Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	234.95	288.99
000-14028-001	3	SplitShot Skimmer Transducer	465.25	572.26
000-14029-001		TripleShot Skimmer Transducer	855.35	1052.08
000-14192-001	The state of the s	Bullet/SplitShot Transom Bracket	65.75	80.88
000-14193-001		TripleShot Transom Bracket	65.75	80.88
000-14410-001	🚣 Missing Image	HOOK2-4X INLINE TEMP SENSOR	242.00	297.66
000-14070-001	190	HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	155.10	190.77
000-14173-001	LOWIGANCE	HOOK2 4x Sun Cover	103.35	127.12
000-14186-001	0,000	HOOK2 4" DASH GASKET KIT	62.88	77.35
000-14170-001		HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	103.35	127.12
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	155.05	190.72
000-14069-001		xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	155.05	190.72
000-14172-001	P)	Power Cable for Hook2, Hook Reveal & Cruise	103.35	127.12
			65.75	80.88

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14411-001	▲ Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	258.45	317.90
000-14174-001	LOWRANCE	HOOK2 / HOOK Reveal 5" Sun Cover	103.35	127.12
000-14187-001	Transfer	HOOK2 / HOOK Reveal 5" Dash Gasket Kit	62.88	77.35
000-14175-001	LOWRANCE	HOOK2 7" Sun Cover	103.35	127.12
000-14188-001		HOOK2 7" Dash Gasket Kit	62.88	77.35
000-14176-001	LOWRANCE	HOOK2 9" Sun Cover	112.75	138.69
000-14189-001		HOOK2 9" Dash Gasket Kit	96.77	119.03
000-14171-001	.	Gimbal Bracket for Hook2/Hook Reveal 9"	234.95	288.99
000-14177-001	LOWRANCE	HOOK2 12" Sun Cover	112.75	138.69
000-14190-001		HOOK2 12" Dash Gasket Kit	96.77	119.03
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	P	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14192-001	1	Bullet/SplitShot Transom Bracket	65.75	80.88
000-14193-001	0000	TripleShot Transom Bracket	65.75	80.88

$\mathsf{GHOST}^{\mathsf{TM}}$

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001		Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15222.56	18723.75
000-14938-001		Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	16504.39	20300.40
000-15480-001		Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	17440.49	21451.80
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001		ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone	1592.20	1958.41
000-15468-001	\$\$ a	TMR-1: Remote controll for the Ghost trolling motor.	610.69	751.15
000-15723-001		The Prop Shaft Anode for the Lowrance Ghost® trolling motor allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed on the back of the propeller, replacing the propeller nut supplied from the factory. The anode prevents corrosion that could result from using the trolling motor in brackish water	108.05	132.91
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	164.45	202.28
000-15325-001	LOWRANCE	Replacement trolling motor compass (TMC-1)	657.95	809.28
000-15327-001	9	SONAR ADAPTER CABLE 9P MINI TO 9P	234.95	288.99
000-15237-001		GHOST Propeller kit	211.27	259.86
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15468-001	V A	TMR-1: Remote controll for the Ghost trolling motor.	610.69	751.15
000-15275-001	-	HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz	751.95	924.90
000-15281-001		CABLE MANAGEMENT CLIP KIT	56.35	69.31
000-15237-001		GHOST Propeller kit	211.27	259.86

Accessories

Part Number	D	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15914-001	G	GHOST MOUNT HARDWARE KIT	92.37	113.61
000-14900-001	A	ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone	1592.20	1958.41
000-15468-001	T N A	TMR-1: Remote controll for the Ghost trolling motor.	610.69	751.15
000-15723-001	w ri	The Prop Shaft Anode for the Lowrance Ghost® trolling motor allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ing-shaped fitting that is installed on the back of the propeller, replacing the propeller nut supplied from the factory. The anode prevents corrosion that could result from using the rolling motor in brackish water	108.05	132.91
000-15582-001		GHOST Trolling motor compass extension cable, 6 m (20')	164.45	202.28



Spares

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15275-001		HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz	751.95	924.90
000-15280-001		Ghost replacement braided stainless pull cable kit	117.45	144.47
000-15281-001		CABLE MANAGEMENT CLIP KIT	56.35	69.31
000-15325-001	LOWRANCE	Replacement trolling motor compass (TMC-1)	657.95	809.28
000-15327-001	A	SONAR ADAPTER CABLE 9P MINI TO 9P	234.95	288.99
000-15237-001		GHOST Propeller kit	211.27	259.86

Portable ACCY.

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	69	HOOK2-4x Ice Transducer with power lead.	516.95	635.85
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	516.95	635.85
000-14889-001		Ice transducer with 9 Pin connector. 83/200 Medium/High frequencies.	474.65	583.82
000-14960-001	Services and the services are the services and the services are the servic	LiveSight transducer + Ice hole mounting kit. You can watch fish react to your bait in real-time under the ice when you add the LiveSight™ Ice Transducer to your system.	7538.75	9272.67
000-14963-001	🛕 Missing Image	Replacement Ice Mount for LiveSight Transducer	1503.95	1849.86
000-15112-001	📤 Missing Image	PORTABLE PK 7" & UNDER HOOK2/ELITE TI EMEA	1818.90	2237.25
000-12292-001		Portable Kayak Kit -Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.	770.75	948.03
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1931.65	2375.93

000-14414-001 Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14963-001	🛕 Missing Image	Replacement Ice Mount for LiveSight Transducer	1503.95	1849.86

8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer

258.45

317.90

Ice / All season

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
		HOOK2-4x All Season Pack (EU)	1268.95	1560.81
000-14183-001	6. '6	The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.		
	áma.	HOOK2-4x GPS All Season Pack (EU)	1409.95	1734.24
000-14184-001	€	The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.		
000-15544-001		HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag / Battery and Charger	2172.25	2671.86
000-15543-001		HOOK REVEAL 7 SPLITSHOT ROW ICEMACHINE	3949.55	4857.95
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	69	HOOK2-4x Ice Transducer with power lead.	516.95	635.85
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	516.95	635.85
		Portable Kayak Kit	770.75	948.03
000-12292-001		-Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.		
000-14413-001	🛕 Missing Image	Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	258.45	317.90
000-14414-001	9	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
000-14028-001	9	SplitShot Skimmer Transducer	465.25	572.26
000-14192-001		Bullet/SplitShot Transom Bracket	65.75	80.88
			155.10	190.77
000-14070-001	17	HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable		
000-14173-001	LOWNLINCE	HOOK2 4x Sun Cover	103.35	127.12
000-14186-001	77777	HOOK2 4" DASH GASKET KIT	62.88	77.35
000-14170-001		HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	103.35	127.12

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14068-001		7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	155.05	190.72
000-14069-001	100	xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	155.05	190.72
000-14172-001	8	Power Cable for Hook2, Hook Reveal & Cruise	103.35	127.12
000-14411-001	🛕 Missing Image	SPLITSHOT Inline temperature sensor: Hook2/Reveal	258.45	317.90
000-14174-001	LOWRANCE	HOOK2 / HOOK Reveal 5" Sun Cover	103.35	127.12
000-14175-001	LOWRANCE	HOOK2 7" Sun Cover	103.35	127.12
000-14188-001		HOOK2 7" Dash Gasket Kit	62.88	77.35
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001		Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	516.95	635.85
000-0127-50	W W W	When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	88.88	109.32
000-11019-001	1	Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti	202.05	248.53
000-14027-001	-	Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	234.95	288.99
000-14192-001	The social section is a section of the section of t	Bullet/SplitShot Transom Bracket	65.75	80.88
000-14170-001		HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	103.35	127.12
000-14172-001	8	Power Cable for Hook2, Hook Reveal & Cruise	103.35	127.12
000-14191-001	270	HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	65.75	80.88

ActiveTarget™ Main Products

Main Products				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15593-001		ActiveTarget kit: Inlcudes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	7805.00	9600.15
000-15595-001		ActiveTarget™ Black Box Only - Replacement	3285.30	4040.92
000-15594-001		ActiveTarget™ Transducer Only - Replacement. w/7.62 m (25 ft) cable	6810.30	8376.67
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	234.95	288.99
000-15770-001	· · · · · · · · · · · · · · · · · · ·	ActiveTarget trolling motor shaft mounting kit	249.05	306.34
000-15771-001	*O	ActiveTarget trolling motor mounting kit. Forward / down view	249.05	306.34
000-15772-001	No.	Replacement - ActiveTarget Trolling Motor Scout Mount Kit	249.05	306.34
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15773-001		ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	234.95	288.99
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15595-001		ActiveTarget™ Black Box Only - Replacement	3285.30	4040.92
000-15594-001		ActiveTarget™ Transducer Only - Replacement. w/7.62 m (25 ft) cable	6810.30	8376.67
000-15770-001	S. Puring	ActiveTarget trolling motor shaft mounting kit	249.05	306.34
000-15771-001	*O	ActiveTarget trolling motor mounting kit. Forward / down view	249.05	306.34
000-15772-001	No.	Replacement - ActiveTarget Trolling Motor Scout Mount Kit	249.05	306.34

Sonar LOWRANCE **

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	0	4-pin Power Cable for modules and MFDs.	188.00	231.24
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	263.20	323.74

Active Imaging™

Main Products				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14489-001		Active Imaging 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1701.35	2092.66
000-14814-001		Active Imaging 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	1701.35	2092.66
000-14490-001		Active Imaging 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1442.85	1774.71
000-15812-001	🔔 Missing Image	AI2-IN-1 XD 9 PIN Y-CBL + 83/200 SKM KIT	1701.35	2092.66
000-15813-001	🚣 Missing Image	AI2-IN-1 XD 9 PIN Y-CBL + 83/200 POD KIT	1701.35	2092.66
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006	O	Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	408.85	502.89
000-12602-001	11	Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	310.15	381.49
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12603-001	M 00"	Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	310.15	381.49

Sonar LOWRANCE **

LiveSight™

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1931.65	2375.93
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001		PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	1931.65	2375.93
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14959-001	🚣 Missing Image	Replacement Mounts for LiveSight Transducer.	375.95	462.42

StructureScan

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12568-001	TotalScan™ Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1701.40	2092.72
000-14259-001	TotalScan™ Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	3619.00	4451.37
000-14257-001	TotalScan™ Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	3619.00	4451.37
000-12395-001	StructureScan® 3D Module and Transom mount Transducer kit.	5076.00	6243.48
000-12397-001	StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	3045.60	3746.09
000-12752-001	Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	516.95	635.85
000-13559-001	StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7247.40	8914.30
000-13560-001	StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12426.80	15284.96
000-14254-001	StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7247.40	8914.30
000-14255-001	StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7247.40	8914.30
000-10802-001	StructureScan™ HD Skimmer Transom Mount Transducer	1456.95	1792.05
000-11459-001	Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4554.30	5601.79
000-11460-001	Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7515.30	9243.82
000-00099-006	Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	408.85	502.89
000-13522-001	TotalScan and StructureScan 3D Plastic Replacement Bracket	305.45	375.71
000-12603-001	Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	310.15	381.49
000-12602-001	Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	310.15	381.49

Sonar		LOWI	RANC	E
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14076-001		Transducer kit to connect a StructureScanHD and HST-WSBL Skimmer transducer to an Elite Ti or Go unit	1430.72	1759.78
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3045.60	3746.09
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	361.85	445.08
000-0106-77	91	HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	728.45	896.00
000-0106-73		PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	427.65	526.01
000-0106-74		PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	465.25	572.26
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	427.65	526.01
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	465.25	572.26
000-11040-001	🛕 Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	511.83	629.55

4	Length 6 m (20 ft)		
	PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	427.65	526.01
	PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	465.25	572.26
	PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	427.65	526.01
	PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	465.25	572.26
🛕 Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	511.83	629.55
<u></u>	Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	516.95	635.85
***	StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7247.40	8914.30
	StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12426.80	15284.96
C ₉	7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	117.45	144.47
	StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7247.40	8914.30
	HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	681.45	838.19
	XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	230.25	283.21
	Missing image Missing image	PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft) PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable. PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft) PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable. PTI-WBL - Ice transducers to HDS Gen2 Touch units and to LSS-HD modules. Transducer Extension Cables for StructureScan® 3D - 10ft (3m) StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft) StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft) StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately. HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft) PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable. PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft) PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable. Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules. 511.83 Transducer Extension Cables for StructureScan® 3D - 10ft (3m) StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft) StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft) 7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port. StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately. HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)

Part Number		Description		RRP incl. (23.0%)
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	230.25	283.21
000-14255-001		StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7247.40	8914.30
000-10977-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1339.45	1647.53
000-10802-001	2	StructureScan™ HD Skimmer Transom Mount Transducer	1456.95	1792.05
000-11459-001	***	Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4554.30	5601.79
000-11460-001		Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7515.30	9243.82
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	408.85	502.89
000-13522-001		TotalScan and StructureScan 3D Plastic Replacement Bracket	305.45	375.71
000-12603-001	III 88 %	Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	310.15	381.49
000-12602-001	11	Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	310.15	381.49
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	512.25	630.07
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2068.00	2543.64
			310.15	381.49
000-10874-001		LSS-HD Skimmer Mount Transducer Bracket		
000-10874-001	<i>→</i>	LSS-HD Skimmer Mount Transducer Bracket HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	122.15	150.25
		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer	122.15 178.60	150.25 219.68
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)		
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer) Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	178.60	219.68

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14256-001	1)1	Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	512.25	630.07
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	512.30	630.13
000-10802-001	0	StructureScan™ HD Skimmer Transom Mount Transducer	1456.95	1792.05
000-12603-001	III co.	Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	310.15	381.49
000-13581-001		Fairing Block only for StructureScan 3D Through-Hull transducers.	512.25	630.07
000-12396-001		StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2068.00	2543.64
000-10874-001	<i>></i>	LSS-HD Skimmer Mount Transducer Bracket	310.15	381.49
000-00128-001	0	4-pin Power Cable for modules and MFDs.	188.00	231.24
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	263.20	323.74

XSONIC Transducers

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	155.10	190.77
000-13977-001	A	Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	155.05	190.72
000-13942-001		P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	700.30	861.37
000-13919-001	W	P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 10m cable.	822.50	1011.68
000-13944-001		TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1640.30	2017.57
000-15482-001		TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3285.30	4040.92
000-13998-001		TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6105.30	7509.52
000-13997-001		TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6105.30	7509.52
000-13904-001		TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6340.30	7798.57
000-13770-001		TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. 9-pin connector and 10m cable.	10805.30	13290.52
000-14804-001		B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3144.30	3867.49
000-13946-001		B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1499.30	1844.14
000-13964-001		B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	3990.30	4908.07
000-13783-001		SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6575.30	8087.62
000-13771-001		B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10100.30	12423.37

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14561-001		B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	9066.30	11151.55
000-14562-001		B285H-W - Bronze 1kW Through Hull High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	11562.00	14221.26
000-13915-001	•	P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	794.30	976.99
000-13920-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2486.30	3058.15
000-13921-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2486.30	3058.15
000-13922-001		B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2486.30	3058.15
000-13784-001		SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2110.30	2595.67
000-13785-001		SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2110.30	2595.67
000-13786-001		SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2110.30	2595.67
000-13916-001		SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6340.30	7798.57
000-13917-001	60	SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6340.30	7798.57
000-13918-001	60	SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6340.30	7798.57
000-13905-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2674.25	3289.33
000-13906-001		Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2674.25	3289.33
000-13907-001	BY	Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2674.30	3289.39

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13908-001	6	SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4695.30	5775.22
000-13909-001	6	SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4695.30	5775.22
000-13910-001	63	SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4789.30	5890.84
000-13911-001	6	SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4277.00	5260.71
000-13912-001	6	SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4277.00	5260.71
000-13913-001	6	SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4225.30	5197.12
000-13774-001	60	SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8220.30	10110.97
000-13775-001	60	SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8220.30	10110.97
000-13776-001	60	SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8220.30	10110.97
000-13777-001	60	SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6810.30	8376.67
000-13778-001	60	SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6810.30	8376.67
000-13779-001	60	SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	6810.30	8376.67
000-13780-001	60	SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8220.30	10110.97
000-13781-001	60	SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8314.30	10226.59
000-13782-001	60	SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8220.30	10110.97
000-13914-001	***	M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5635.30	6931.42

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13773-001		R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	25140.30	30922.57
000-13940-001		PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	11040.30	13579.57
000-13772-001	6	CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	10570.30	13001.47
000-13941-001		CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	22884.30	28147.69
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	925.85	1138.80
000-14884-001		9PIN HIGH SPEED SKIMMER M/H PK ASY: 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	432.35	531.79
000-14885-001	43	9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	733.15	901.78
000-14886-001		9-Pin 83/200kHz Pod-Style Shoot-Through Trandsucer. Depth only.	432.35	531.79
000-14887-001		9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	432.35	531.79
000-14888-001	📤 Missing Image	9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	474.65	583.82
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	155.10	190.77
000-13977-001	0	Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	155.05	190.72
000-00099-006		Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	408.85	502.89
000-13262-001		Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	925.85	1138.80
000-0051-45		TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	93.95	115.56

TMB-S Trolling-motor mount bracket for standard Skimmer® transducer

000-0051-45

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52	Suction Cup Kit - Suction cup kit for portable skimmer transducers	93.95	115.56
000-10392-001	50/200kHz Skimmer™ transducer mounting kit	117.45	144.47
000-0106-98	Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.	51.65	63.53
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	117.45	144.47
000-10606-001	KAYAK SCUPPER HOLE TRANSDUCER MOUNT	249.05	306.34

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10392-001	50/200kHz Skimmer™ transducer mounting kit	117.45	144.47

Sonar LOWRANCE '

Blue

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001		SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3045.60	3746.09
000-13313-001	Q	Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	155.05	190.72
000-0106-72	3	HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	361.85	445.08
000-0106-77	46	HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	728.45	896.00
000-0106-73		PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	427.65	526.01
000-0106-74		PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	465.25	572.26
000-0106-89		PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	427.65	526.01
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	465.25	572.26
000-0099-97		ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked).	460.22	566.08
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	381.86	469.69
000-10046-001	C9	7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	117.45	144.47
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	230.25	283.21
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	230.25	283.21

Accessories

Part Number		Description		RRP incl. (23.0%)
000-12571-001		Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	155.10	190.77
000-13313-001	0	Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	155.05	190.72

 Prices effective as of 4 Jan 2022
 14864
 Page: 39 of 71

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13977-001	A	Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	155.05	190.72
000-10046-001	69	7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	117.45	i 144.47
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	230.25	5 283.21
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	230.25	5 283.21

Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.

Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.

408.85

51.65

502.89

63.53

Spare Parts

000-0106-98

000-00099-006

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10392-001		50/200kHz Skimmer™ transducer mounting kit	117.45	144.47
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	117.45	144.47
000-00128-001	0	4-pin Power Cable for modules and MFDs.	188.00	231.24
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	263.20	323.74

HDI™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001		HDI Skimmer® transducer 83/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	549.85	676.32
000-15639-001	4	HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1132.65	1393.16
000-14267-001	12.00	HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing with 2 m (6ft) transducer cable.	681.45	838.19
000-12570-001		HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable	672.10	826.68
000-12728-001	Q	HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	681.50	838.25
000-13888-001	Q	HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8 m (6ft)	638.77	785.69
000-12569-001		HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	1339.50	1647.59
000-13889-001		HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.	681.45	838.19
000-10976-001	Q	HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	681.45	838.19
000-10977-001	P	HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1339.45	1647.53
000-11743-001		HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1312.08	1613.86

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13977-001		Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	155.05	190.72
000-13313-001	O	Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	155.05	190.72
000-0099-97		ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked).	460.22	566.08
000-0099-95		TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	381.86	469.69

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12292-001		Portable Kayak Kit -Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.	770.75	948.03
000-0099-93		XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	230.25	283.21
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	230.25	283.21
000-0051-52	N_	Suction Cup Kit - Suction cup kit for portable skimmer transducers	93.95	115.56
000-10606-001		KAYAK SCUPPER HOLE TRANSDUCER MOUNT	249.05	306.34
000-10978-001		HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	122.15	150.25
000-14414-001	9	8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	258.45	317.90
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10262-001		Replacement mount for Skimmer and top housing.	173.85	213.84

Sonar LOWRANCE **

Uniplug

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-48	0.3	HST-WSU 83/200kHz Skimmer Transducer with Temp Sensor. 20ft Cable and UniPlug.	347.75	427.74
000-0106-50		PDT-WSU - 83/200kHz Pod style transducer with Temp sensor. 10ft cable.	375.95	462.42
000-0106-69	e.	PDRT-WSU - 83/200kHz Pod style transducer with Remote Temp sensor. 20ft cable.	400.01	492.01
000-0106-52	? >	The PD-WSU is an 83/200kHz Pod-style transducer with a 20-foot cable. No temp sensor.	400.01	492.01
000-0106-68		PTI-WSU - 83/200kHz Ice Transducer with 7ft cable and UniPlug connector.	521.65	641.63
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	117.45	144.47

DSI™

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10260-001		Dual frequency DSI DownScan Skimmer® transducer 455/800kHz with built in temp. Includes 20ft cable, mounting bracket and hardware.	427.65	526.01
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52	N	Suction Cup Kit - Suction cup kit for portable skimmer transducers	93.95	115.56
000-0099-06		Mounting kit for transom mount 83/200 kHz skimmer transducers.	117.45	144.47
000-10261-001		Low profile trolling motor mount for use with DSI Skimmer transducer. Includes trolling motor snap on mount, stainless steel trolling motor clamp, and 2 zip ties.	122.15	150.25
000-10606-001		KAYAK SCUPPER HOLE TRANSDUCER MOUNT	249.05	306.34

REVEAL COASTAL™

Main Products

Maps

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS		REVEAL: M-AF-Y209-MS South & East Africa	935.30	1150.42
M-AF-Y210-MS		REVEAL: M-AF-Y210-MS West Africa	935.30	1150.42
M-EM-Y076-MS		REVEAL: M-EM-Y076-MS South-West European Coasts	935.30	1150.42
M-EM-Y111-MS		REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	935.30	1150.42
M-EN-Y070-MS		REVEAL: M-EN-Y070-MS Central Europe Inland	935.30	1150.42
M-EN-Y299-MS		C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	935.30	1150.42
M-EN-Y300-MS	*	C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	935.30	1150.42
M-EN-Y326-MS		C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	935.30	1150.42
M-EN-Y580-MS		C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	935.30	1150.42
M-EW-Y065-MS	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	REVEAL: M-EW-Y065-MS France Coastal & Inland	935.30	1150.42
M-EW-Y226-MS	PROPERTY OF THE CONTRACT	REVEAL: M-EW-Y226-MS United Kingdom	935.30	1150.42
M-EW-Y227-MS		REVEAL: M-EW-Y227-MS North-West European Coasts	935.30	1150.42
M-EW-Y228-MS		REVEAL: M-EW-Y228-MS West European Coasts	935.30	1150.42
M-ME-Y204-MS		REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	935.30	1150.42
M-RS-Y013-MS		REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	935.30	1150.42
M-RS-Y202-MS		REVEAL: M-RS-Y202-MS Russian Federation – North West	935.30	1150.42
M-RS-Y203-MS	*	REVEAL: M-RS-Y203-MS Russian Federation – North Central	935.30	1150.42

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	935.30	1150.42
M-RS-Y207-MS	4	REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	935.30	1150.42
M-RS-Y210-MS		REVEAL: M-RS-Y210-MS Volga, Kama, Volgo – Balt and Volgo – Don	782.55	962.54
M-RS-Y212-MS		REVEAL: M-RS-Y212-MS Moscow-Tver-Volgo-Balt & Oka River	782.55	962.54
M-RS-Y217-MS	The state of	REVEAL: M-RS-Y217-MS Baykal and Siberian Lakes	782.55	962.54
M-RS-Y219-MS		REVEAL: M-RS-Y219-MS Moskva, Ola, Volga to Onezhskoe Lake	935.30	1150.42
M-RS-Y233-MS		REVEAL: M-RS-Y233-MS White Sea & Channel	782.55	962.54
M-RS-Y237-MS		REVEAL: M-RS-Y237-MS Volga, Kama, Onezhskoe Lake & Channels	935.30	1150.42
M-RS-Y604-MS		REVEAL: M-RS-Y604-MS Russian North-West Lakes & Rivers	782.55	962.54
M-EW-Y060-MS		DISCOVER: M-EW-Y060-MS Central & West Europe	869.50	1069.49

C-MAP Discover

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y200-MS		DISCOVER: M-AF-Y200-MS Cameroon to South Africa	606.30	745.75
M-AF-Y201-MS		DISCOVER: M-AF-Y201-MS South Africa to Mozambique	606.30	745.75
M-AF-Y220-MS		DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	606.30	745.75
M-EM-Y040-MS	The second secon	DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	606.30	745.75
M-EM-Y200-MS	TANK	DISCOVER: M-EM-Y200-MS West Mediterranean	606.30	745.75
M-AF-Y214-MS		DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	606.30	745.75
M-EM-Y201-MS	🛕 Missing Image	DISCOVER: M-EM-Y201-MS Central Mediterranean	606.30	745.75
M-EM-Y202-MS		DISCOVER: M-EM-Y202-MS Mediterranean South Central	606.30	745.75
M-EM-Y203-MS		DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	606.30	745.75
M-EM-Y204-MS		DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	606.30	745.75
M-EM-Y205-MS		DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	606.30	745.75
M-EM-Y206-MS		DISCOVER: M-EM-Y206-MS Mediterranean South East	606.30	745.75
M-EN-Y200-MS		C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	606.30	745.75
M-EN-Y201-MS		DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	606.30	745.75
M-EN-Y202-MS		DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	606.30	745.75
M-EN-Y203-MS		DISCOVER: M-EN-Y203-MS Farsund to Måløy	606.30	745.75
M-EN-Y204-MS		DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	606.30	745.75

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y205-MS		DISCOVER: M-EN-Y205-MS Karlskrona to Emden	606.30	745.75
M-EN-Y206-MS		DISCOVER: M-EN-Y206-MS Torekov to Larvik	606.30	745.75
M-EN-Y207-MS		DISCOVER: M-EN-Y207-MS Malmö to Valdermarsvik	606.30	745.75
M-EN-Y208-MS		DISCOVER: M-EN-Y208-MS Västervik to Valdermarsvik	606.30	745.75
M-EN-Y209-MS		DISCOVER: M-EN-Y209-MS Gulf of Bothnia	606.30	745.75
M-EN-Y210-MS		DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	606.30	745.75
M-EN-Y211-MS		DISCOVER: M-EN-Y211-MS Finland Lakes	606.30	745.75
M-EN-Y212-MS		DISCOVER: M-EN-Y212-MS Gulf of Finland & Aland Islands Archipelago	606.30	745.75
M-EN-Y213-MS		DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	606.30	745.75
M-EN-Y214-MS		DISCOVER: M-EN-Y214-MS Polish Coast & Inland	606.30	745.75
M-EN-Y215-MS		DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	606.30	745.75
M-EN-Y216-MS		DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	606.30	745.75
M-EN-Y217-MS	Control of the Control	DISCOVER: M-EN-Y217-MS Central Europe Inland	606.30	745.75
M-EN-Y218-MS	- (01)	DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	606.30	745.75
M-EN-Y630-MS		DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	606.30	745.75
M-EW-Y206-MS		DISCOVER: M-EW-Y206-MS French Inland Waters	606.30	745.75
M-EW-Y207-MS		DISCOVER: M-EW-Y207-MS Bay of Biscay	606.30	745.75
M-EW-Y208-MS		DISCOVER: M-EW-Y208-MS Portugal & Galicia	606.30	745.75

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y209-MS		DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	606.30	745.75
M-ME-Y200-MS		DISCOVER: M-ME-Y200-MS Red Sea	606.30	745.75
M-ME-Y201-MS	Section 1	DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	606.30	745.75
M-RS-Y009-MS		DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	606.30	745.75
M-RS-Y221-MS		DISCOVER: M-RS-Y221-MS White Sea	606.30	745.75
M-RS-Y222-MS		DISCOVER: M-RS-Y222-MS Volga : Cheboksary to Balakovo	390.10	479.82
M-RS-Y223-MS		DISCOVER: M-RS-Y223-MS Volga: Balakovo to Astrakhan & Rostov	390.10	479.82
M-RS-Y225-MS		DISCOVER: M-RS-Y225-MS Moscow-Kaluga-Uglich, Seliger & Lakes	390.10	479.82
M-RS-Y226-MS		DISCOVER: M-RS-Y226-MS Volga: Rybinsk to Cheboksary & Oka	390.10	479.82
M-RS-Y228-MS		DISCOVER: M-RS-Y228-MS Kama & Vyatka	390.10	479.82
M-RS-Y236-MS		DISCOVER: M-RS-Y236-MS Lake Baykal	390.10	479.82
M-RS-Y238-MS		DISCOVER: M-RS-Y238-MS Siberian Lakes & Reservoirs	390.10	479.82
M-RS-Y240-MS		DISCOVER: M-RS-Y240-MS Tauyskaya Bay	390.10	479.82
M-RS-Y607-MS		DISCOVER: M-RS-Y607-MS Chudskoe Lake & Finnish Gulf East	390.10	479.82
M-RS-Y610-MS		DISCOVER: M-RS-Y610-MS Lakes Ladoga, Ilmen & Volkhov River	390.10	479.82
M-RS-Y611-MS	- And the second	DISCOVER: M-RS-Y611-MS Onezhskoe Lake & Svir	390.10	479.82
M-AF-Y003-MS		DISCOVER: M-AF-Y003-MS Antarctica	869.50	1069.49
M-AF-Y050-MS		DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	869.50	1069.49

LOWRANCE

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EM-Y045-MS	DISCOVER: M-EM-Y045-MS Southern Europe	869.50	1069.49
M-EN-Y040-MS	DISCOVER: M-EN-Y040-MS Greenland	869.50	1069.49
M-EN-Y050-MS	DISCOVER: M-EN-Y050-MS Northern & Central Europe	869.50	1069.49
M-EN-Y055-MS	DISCOVER: M-EN-Y055-MS Baltic Sea	869.50	1069.49
M-RS-Y050-MS	DISCOVER: M-RS-Y050-MS Western Russia	869.50	1069.49
M-EW-Y200-MS	DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	670.69	824.95

Autopilot LOWRANCE **

Autopilot Kits

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15952-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	4770.50	5867.72
000-15951-001		NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MkII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	6904.30	8492.29
000-11748-001		Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6199.30	7625.14
000-11750-001	> • • •	DrivePilot Hydraulic Pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	8784.30	10804.69
000-11749-001		Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	7750.30	9532.87

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-11772-001	\mathcal{A}	Verado Installation Kit for PUMP-1,2,3,4,5 Hydraulic Pumps. (USE 000-15943-001 for MKII PUMPS)	1828.30	2248.81
000-12316-001	•	WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2251.30	2769.10
000-14439-001	-	NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1499.30	1844.14
000-14268-001	*	Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	126.90	156.09

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11770-002	18 C	PUMP-1: Hydraulic Pump $-$ 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3097.30	3809.68
000-15942-001	(IS	Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	794.30	976.99
000-12930-002	90	Point-1AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1311.30	1612.90
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-13703-001		Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.60	277.49

Autopilot LOWRANCE **

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14798-001		NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	178.60	219.68
000-14463-001		NAC-1 & NAC-2 Spare Drive Cable - 2m	178.60	219.68
000-11769-001	Care	NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	3426.30	4214.35

Autopilot Accessories Main Products

Main Products			RRP excl.	RRP incl.
Part Number		Description	(PLN)	(23.0%)
000-11770-002	300	PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3097.30	3809.68
000-15942-001	(IS)	Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	794.30	976.99
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	1974.00	2428.02
000-11772-001	A	Verado Installation Kit for PUMP-1,2,3,4,5 Hydraulic Pumps. (USE 000-15943-001 for MKII PUMPS)	1828.30	2248.81
000-11771-001		The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	5682.30	6989.23
000-12316-001	O v a	WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2251.30	2769.10
000-14439-001	-	NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1499.30	1844.14
000-13703-001	-0	Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	225.60	277.49
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001		Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	794.30	976.99
000-15943-001		Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	1974.00	2428.02
000-11772-001	All:	Verado Installation Kit for PUMP-1,2,3,4,5 Hydraulic Pumps. (USE 000-15943-001 for MKII PUMPS)	1828.30	2248.81

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15858-001	Manage of the Control	PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-1,2,3,4 & 5. 2Pcs.	305.50	375.77
000-12359-001	Blassed .	WR10 BT-1 Base Station Only	1264.30	1555.09
000-12358-001	In the second	WR10 Wireless Remote for Autopilot.	982.30	1208.23

Radar LOWRANCE Towns of the second se

Halo

000-14547-001

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	PANCE	HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	9635.00	11851.05
000-14542-001	PANCE (1)	HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11327.00	13932.21
000-14541-001	LOWRANCE	HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	12690.00	15608.70
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-15469-001		5m Extension Cable for HALO Dome Radar / Nemesis™ (16.5 ft)	413.60	508.73
000-14551-001	500	Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	305.50	375.77
000-14548-001		Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	559.30	687.94
000-14549-001		Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	841.30	1034.80
000-14550-001		Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1123.30	1381.66
PT2004		Scanstrut PT2004 PowerTower for HALO 20/20+/24 and Broadband Dome Radars - 150mm (6") white composite.	1809.50	2225.69
PT3010		ScanStrut PT3010 - A 4° wedge for Scanstrut PowerTowers, for HALO 20/20+ and Broadband Dome Radars.	559.30	687.94
000-10795-001		SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	1828.30	2248.81
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	0,	Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	197.40	242.80
000 14547 001		Power / Ethernet cable, 5 m (16.5 ft) for HALO dame radars and R&C Namesis displays	361.90	445.14

Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays



SonicHub™

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12301-001	* * * *	SonicHub 2 NMEA 2000 audio server module with 1 pair of Lowrance branded 6.5" marine speakers	1834.74	2256.73
000-12302-001	THE IS	New SonicHub®2 Marine Audio Server SonicHub2 is a drop-in replacement for the existing SonicHub Utilizing the same footprint, same connections and Same User Interface on Lowrance/Simrad/B&G displays. SonicHub2 will operate on the newly implemented NMEA 2000® Audio/Entertainment standard.	1781.30	2191.00
000-12304-001		Lowrance speaker pack (1pr.)	411.49	506.13

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12304-001	Lowrance speaker pack (1pr.)	411.49	506.13

Fixed VHF

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	1 15	Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2204.30	2711.29
000-14493-001	D	Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1123.30	1381.66
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15859-001		VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	366.60	450.92
000-14924-001		10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	258.50	317.96
000-14923-001		5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	206.80	254.36
000-14968-001		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	413.60	508.73
000-13613-001	9	GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	700.30	861.37
000-14065-001		Bracket mount knobs for Link-6 VHF radio (White)	72.57	89.26
000-14063-001		VHF,MIC CLIP FOR LINK-6W	38.68	47.58
000-14061-001		Mounting Bracket for Link 6 VHF (White)	145.18	178.57
000-14058-001		VHF,FLUSH MOUNT KIT,LINK-6W	53.20	65.44
000-14057-001	🛕 Missing Image	LINK-6 Flush Mount Kit	56.35	69.31
000-14060-001	4	LINK-6 Mounting Bracket	155.10	190.77
000-14064-001	•	LINK-6 Mounting Bracket Knobs	75.20	92.50
000-14062-001	•	LINK-6 Mic Clip	42.30	52.03
000-14054-001	Paralles B	LINK-6 Suncover	103.35	127.12

VHF and AIS LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA000352	•	Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	244.40	300.61
AA000223		Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	169.20	208.12
AA000224		Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	343.10	422.01
AA000355		Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	352.50	433.58
AA000358		Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	192.70	237.02
AA000400	150	VHF extension cable 5 m (16 ft)	136.30	167.65
000-11670-001	🛕 Missing Image	5M ANT. CABLE,FAST FIT CONNECTORS,BB	183.30	225.46
000-11611-001	📤 Missing Image	15M ANT. CABLE,FAST FIT CONNECTORS,BB	282.00	346.86
000-11607-001	▲ Missing Image	0,5M ANT. CABLE,FAST FIT CONNECTORS,BB	106.50	131.00
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14911-001		LINK-9 VHF Suncover	103.35	127.12
000-14920-001	0	Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	361.85	445.08
000-14918-001	•	LINK-9 Fist Mic mounting clip	42.25	51.97
000-14916-001	>	Link-9 VHF Mounting bracket with Knobs and Screws	131.55	161.81
000-14914-001		Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	56.35	69.31
000-14060-001	4	LINK-6 Mounting Bracket	155.10	190.77
000-14064-001	•	LINK-6 Mounting Bracket Knobs	75.20	92.50
000-14062-001		LINK-6 Mic Clip	42.30	52.03
Prices effective as of		14864		Page: 57 of 71

VHF and AIS LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10002-001	🛕 Missing Image	Sun Cover for Link-8	142.23	174.94

AIS Class B

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13609-001	NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	3896.30	4792.45
000-13963-001	NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5165.30	6353.32
000-13612-001	NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1264.30	1555.09
000-13610-001	NAIS-500 Class B AIS w/ NSPL-500 & GPS-500 Split Cable . Boatbuilder. GPS-500 BB Antenna has a connected 0.6 m (2 ft) fly lead + 10 m (33 ft cable).	5541.30	6815.80
Accessories			

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13612-001	NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1264.30	1555.09
000-15859-001	VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	366.60	450.92
000-14968-001	Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	413.60	508.73
AA000352	Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	244.40	300.61
AA000223	Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	169.20	208.12
AA000224	Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	343.10	422.01
AA000355	Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	352.50	433.58
AA000358	Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	192.70	237.02
AA000400	VHF extension cable 5 m (16 ft)	136.30	167.65
AA000401	VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	329.00	404.67

Spare Parts

VHF and AIS LOWRANCE

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13959-001	NAIS500/400 & Naviop OP-BOX Power & Serial Cable	277.30	341.08

NMEA2000

NMEA 2000® starter kit - Backbone required to install one or more NI includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K	MEA 2000® devices 423.0	
T-connectors, 2 x network terminators		0 520.29
000-0119-79 N2K-T-RD - Micro-C T-connector for connection of an additional network	103.4 vork device	0 127.18
000-12612-001 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C NMEA2000 Network.	devices to the 253.8	312.17
000-0119-88 N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extens connect an additional network device	sion or drop cable to	0 184.99
000-0127-53 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extens connect an additional network device	235.0 sion or drop cable to	0 289.05
000-0119-86 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extends to connect an additional network device	263.2 ension or or drop cable	20 323.74
000-0119-83 N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backt	371.3 cone extension only	60 456.70
000-14376-001 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gau for network backbone runs	ige cable recommended 296.1	0 364.20
NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 garrecommended for network backbone runs	333.7	0 410.45
000-14378-001 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge for network backbone runs	465.3 uge cable recommended	572.32
NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-g recommended for network backbone runs resulting in a more robust reidentified by orange locking collars.		60 687.94
000-0127-52 TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	103.4	0 127.18
000-10064-001 N2K Terminator F - BoatBuilder 100PK	51.7	0 63.59
000-10065-001	51.7	0 63.59
000-0119-75 N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and	d 1 x T connector 284.4	1 349.82
000-12259-001 Network power isolator. Separates separately powered sections of the while letting data through.	188.0 e NMEA2000 network	0 231.24
000-0127-04 NAC-MRD2MBL - Adapter cable to enable connection of a legacy blue to a red or black Micro-C network	e NMEA 2000® device 217.8	9 268.01
	k Micro-C NMEA 2000® 217.8	9 268.01

Network LOWRANCE*

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-45		SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	557.01	685.12
24005729	P	SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	178.60	219.68

Spare Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	P	SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	178.60	219.68

Sensors

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12930-002	90	Point-1AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1311.30	1612.90
000-11047-002	90	Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1311.30	1612.90
000-12607-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3144.30	3867.49
000-12694-001		Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network Boatbuilder 6pk. Price is per item.	3144.30	3867.49
000-15735-001	8 C	DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1828.30	2248.81
000-11517-001		Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	1123.30	1381.66
000-0120-62		Evinrude engine interface cable 4.5 m (15 ft) and T-connector	559.30	687.94
000-0120-37	R	Yamaha engine interface cable 4.5 m (15 ft) and T-connector	559.30	687.94
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	512.30	630.13
000-11519-001		Speed Though Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	559.30	687.94
000-11520-001		Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	559.30	687.94
000-11521-001		Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	511.83	629.55
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	559.30	687.94
000-11523-001		Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	559.30	687.94
\ aaaaaariaa				

Accessories

LOWRANCE

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11522-001		Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	559.30	687.94
000-0127-45		SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	557.01	685.12
000-11148-001	🔔 Missing Image	Pole Mount for GS25 / ZG100 / POINT-1	141.00	173.43
000-10568-001	📤 Missing Image	Accessory plug assembly for DST800	112.80	138.74
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA010212		Scanner connection cable - 20 m (66 ft) for 3G, 4G and HALO (open array)	841.30	1034.80
000-10568-001	🛕 Missing Image	Accessory plug assembly for DST800	112.80	138.74

Ethernet

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10933-001		WIFI-1 enables WIFI connectivity to an MFD that does not include WIFI built in. F.ex NSO and Zeus MPU systems.	1060.18	1304.02
000-10029-001	777	NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1452.30	1786.33
000-0127-51		Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	178.60	219.68
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	263.20	323.74
000-0127-30		Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	371.30	456.70
000-0127-37		Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	512.30	630.13
000-0127-56	ő	Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	197.40	242.80
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-51		Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	178.60	219.68
000-0127-29		Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	263.20	323.74
000-0127-30		Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	371.30	456.70
000-0127-37		Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	512.30	630.13
Spare Parts				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	6	4-pin Power Cable for modules and MFDs.	188.00	231.24
000-11447-001		Spare WIFI-1 Power Cable.	145.23	178.63

LOWRANCE

Naviop Kits

Main Products

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001	\$ 0 \$ \$	Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5121.78	6299.79
000-14665-001	10	Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	8849.35	10884.70
000-14664-001	9 5	Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	7929.56	9753.36
000-14663-001		Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	12576.92	15469.61
000-15329-001	\$ D	Naviop LOOP S Digital Switching System Kit - Boatbuilder	2350.00	2890.50
000-15330-001		Naviop LOOP S+ Digital Switching System Kit - Boatbuilder - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. Output: 16 relays + 16 fuses.	3995.00	4913.85
000-15352-001	9 5	Naviop LOOP M Digital Switching System Kit - Boatbuilder - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 8 relays + 8 fuses	3572.00	4393.56
000-15353-001		Naviop LOOP M+ Digital Switching System Kit - Boatbuilder - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. Output: 16 relays + 16 fuses	5640.00	6937.20

Accessories

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4089.00	5029.47
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
000-14844-001		Naviop EGON+ 12VDC Replacement Relay	116.09	142.79
C-EGON-01	No. or	Naviop EGON Power and CAN Cable - CAN ID 2	366.60	450.92
C-EGON-02	No. or	Naviop EGON Power and CAN Cable - CAN ID 2	366.60	450.92

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-EGON-03	down	Naviop EGON Power and CAN Cable - CAN ID 3	366.60	450.92
C-EGON-04	de se	Naviop EGON Power and CAN Cable - CAN ID 4	366.60	450.92
000-14901-001		Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	169.44	208.41
000-15212-001		Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4836.30	5948.65
BERMINI-USAA-1N		Naviop OP-BOX USB Cable	302.45	372.01
C-28576	🗴 Missing Image	Naviop CAN Drop Cable NA30	277.30	341.08
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	263.20	323.74
C-34686	Q.	Axial DB9 Male Cable for RS323/485 - 2m	143.35	176.32
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	493.50	607.01
DAU-B-128	Mary 170	Naviop DAU Bridge - CAN ID 128	4935.00	6070.05
DAU-E-136	gilt # 186	Naviop DAU Easy - CAN ID 136	4935.00	6070.05
DAU-E-137	Susse)	Naviop DAU Easy - CAN ID 137	4935.00	6070.05
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4371.00	5376.33
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4465.00	5491.95

Naviop Parts

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001	GS 200	Naviop OP-BOX Programmable 1GHz	5992.50	7370.78
000-15897-001	G 230	OP-BOX 1Ghz, Programmable, with Power cable	4648.30	5717.41
000-14991-001		Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1311.30	1612.90
31M-316-0		Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
31M-335-0		Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
31M-336-0		Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4089.00	5029.47
31M-337-0		Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4089.00	5029.47
000-14844-001	Q E	Naviop EGON+ 12VDC Replacement Relay	116.09	142.79
C-EGON-01	No.	Naviop EGON Power and CAN Cable - CAN ID 2	366.60	450.92
C-EGON-02	de ar	Naviop EGON Power and CAN Cable - CAN ID 2	366.60	450.92
C-EGON-03	Br.	Naviop EGON Power and CAN Cable - CAN ID 3	366.60	450.92
C-EGON-04	No.	Naviop EGON Power and CAN Cable - CAN ID 4	366.60	450.92
000-14901-001	A STATE OF THE STA	Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	169.44	208.41
000-15212-001	(d.)	Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	4836.30	5948.65
BERMINI-USAA-1M		Naviop OP-BOX USB Cable	302.45	372.01
C-28576	▲ Missing Image	Naviop CAN Drop Cable NA30	277.30	341.08

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28574		Naviop CAN Drop Cable for NOVA+ - 1.2m	263.20	323.74
C-34686	0.	Axial DB9 Male Cable for RS323/485 - 2m	143.35	176.32
C-DAU-CABLE		Naviop Wiring Harness for DAU Units - 2m	493.50	607.01
DAU-B-128		Naviop DAU Bridge - CAN ID 128	4935.00	6070.05
DAU-E-136	give 10	Naviop DAU Easy - CAN ID 136	4935.00	6070.05
DAU-E-137	aus is	Naviop DAU Easy - CAN ID 137	4935.00	6070.05
NA05-0003		Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4371.00	5376.33
NA05-0003-H		Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4465.00	5491.95
000-13959-001		NAIS500/400 & Naviop OP-BOX Power & Serial Cable	277.30	341.08

Service Parts

Part Number		Description	RRP excl. (PLN)	(23.0%)
000-14040-001		Caterpillar J1939 Adapter Harness - For TRACK systems and IS42J instruments.	459.90	565.67
000-12629-001	O <u>o</u> >	BoatConnect Entry Sensor Kit: The entry sensor can be mounted to a boat's door or hatch. This sensor will detect when the door has been opened, and the system will alert of a door opening. comes with a 10 m (33 ft) cable.	285.62	351.31
000-12628-001	95	BoatConnect Temperature sensor kit. The temperature sensor will monitor the air temperature in side the boat. The system can the send alerts for low or high temperatures. 10 m (33 ft) cable	382.44	470.40
000-12359-001	Brond	WR10 BT-1 Base Station Only	1264.30	1555.09
000-12358-001	THE WEE	WR10 Wireless Remote for Autopilot.	982.30	1208.23
000-14256-001	Du	Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	512.25	630.07
000-14260-001		TotalScan™ Through-Hull Transducer Fairing Block Only	512.30	630.13
000-11040-001	i Missing Image	Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	511.83	629.55
000-14503-001		LINKPRO SERVICE TOOL	1029.30	1266.04
Accessories				
Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-72		HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	361.85	445.08
000-0106-77	98	HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	728.45	896.00
000-0106-77	43		728.45 465.25	
		Length 6 m (20 ft)		572.26
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable. ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector	465.25	572.26 566.08
000-0106-94		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable. ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked).	465.25	572.26 566.08 469.69
000-0106-94 000-0099-97 000-0099-95		PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable. ST-TBL Transom-mount paddlewheel speed/temp sensor with blue connector (non-networked). TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	465.25 460.22 381.86	572.26 566.08 469.69

Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-94		XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	230.25	283.21
000-10977-001	43	HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1339.45	1647.53
000-0051-45	3	TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	93.95	115.56
000-0099-44		AC-CAF - AC power adapter to female cigarette lighter socket for power from 120V wall socket	218.18	268.37
000-0119-10	0.3	CA-8 - Cigarette plug power cable for all 5" and above Lowrance products except X-96	305.45	375.71
000-10027-001	4	Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	126.85	156.03
000-10909-001	Ş	RAM QUICK RELEASE BRACKET 1" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	186.38	229.25
000-10910-001	F	RAM QUICK RELEASE BRACKET 1.5" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	266.26	327.49
000-10978-001	•	HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	122.15	150.25
000-11307-001	LOWRANCE	SUNCOVER: 4" MARK/ELITE/HOOK	112.75	138.69
000-11308-001		FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK	88.88	109.32